



WORKSHOP EQUIPMENT



WISDOM LEADS PRODUCTION

OMEGA Elevator puts out 16 advanced production lines including fully automatic flexible metal-working production line, medium thickness metal-working production line, production line control system, robot welding production line, automatic painted production line etc. It has a complete set of modern digital machining equipment, testing facilities in order to warrant perfect product quality.



PRODUCT SERIES



OMEGA small machine room passenger elevator strictly accords with German manufacture technology, advanced industrial technology. It optimizes space design with intellectual & compact mechanical parts. It effectively reduces top space, save construction cost. It features as energy-saving, environment-protection, safe, stable, comfortable travel. It also has other advantages. It provides all kinds of modern buildings with reliable solution plans.



OMEGA small machine room passenger elevator strictly accords with German manufacture technology, advanced industrial technology. It optimizes space design with intellectual & compact mechanical parts. It effectively reduces top space, save construction cost. It features as energy-saving, environment-protection, safe, stable, comfortable travel. It also has other advantages. It provides all kinds of modern buildings with reliable solution plans.




Observation elevator



OMEGA observation elevator applies highly secure laminated glass with fine transparency. The passengers can appreciate beautiful scenes in busy city through transparent car wall. Lamination layer in laminated glass has radiation-proof functions. It buffers sound wave vibration. Therefore it has sound-isolating effects. Large area car wall glass design has smooth lines. It beautifies car outline. What is more, it adds more charm to the buildings.

PRODUCT SERIES



OMEGA bed elevator series products fully reflect the "human oriented" design concept, and create a moving space full of warmth and comfortable for both patients and medical staffs to the utmost. With soft light, simple color tone, you can practically feel the tender concern and best wishes from company all the time.



OMEGA stretcher elevator cares both your and our safety & health. Jointly fulfills social responsibilities with you. Rescue elevator is specially custom-made for residential building and public occasions. Reliable rescue special-purpose systematic design, scientific car space planning are more convenient to form obstacle-free channel and quickly arrives at destination floor during emergency rescue. It thus protects the users' safety



OMEGA freight elevator combines with top technologies such as elevator engineering technology etc, fierce drag system, highly strengthened mechanical structure design. It can contain a lot of goods. It can still be operated under various harsh environments. It features as effective, reliable, firm, durable, accurate leveling and so on. It is widely applicable for goods transport occasions such as factory, warehouse, shopping center etc.




OMEGA automobile elevator introduces well-developed international car elevation technology. It develops and manufactures automobile elevator through absorption, transformation and improvement. Advanced technology removes shaking car problem due to noise, burdened traction system and uneven force to elevator car. It optimizes characteristics of the product series.

PRODUCT SERIES

Escalator



OMEGA escalator applies the advanced Swiss technology, design concept for manufacture. It grants you to appreciate the outstanding charm and deluxe manner of modern buildings by fine and exquisite structure, consummate elevator path, delicate belt, deluxe and attractive outline. It provides the passengers with a bright, comfortable, brand-new feeling.



OMEGA moving walk satisfies the transport requirement of large passenger flow in public traffic and transport areas such as large-size supermarket, airport, exhibition center, transport hub etc. It meets long-distance walk. People feel as easily as walking on firm earth while carrying luggage cart, baby's cart, the vehicle for the disabled in moving walk. It is greatly convenient for the people's outing and shopping.

Passenger Elevator Series Decoration



▶ OMG-P01

吊顶：镜面不锈钢配拱形透顶，有机透光板，LED灯
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢单管
地板：PVC
Car top: Mirror stainless steel with arch shaped top, organic transparent plate, LED lamp.
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel single tube
Floor: PVC



▶ OMG-P02

吊顶：镜面不锈钢，亚克力灯饰，筒灯
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢扁扶手
地板：PVC
Car top: Mirror stainless steel, acrylic lighting, downlight
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrails
Floor: PVC



▶ OMG-P03

吊顶：发纹不锈钢，亚克力透光板
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢单管
地板：PVC
Car top: Hairline stainless steel, acrylic transparent board
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel single tube
Floor: PVC



▶ OMG-P04

吊顶：不锈钢镜面镂空板加柔光照明设计
轿壁：镜面不锈钢，镜面蚀刻不锈钢
扶手：不锈钢单管
地板：PVC
Car top: Stainless steel mirror hollow plate with soft lighting design
Car wall: Mirror stainless steel, mirror etching stainless steel
Handrail: Stainless steel single tube
Floor: PVC



▶ OMG-P05

吊顶：发纹不锈钢，拱形白色透光板
轿壁：镜面蚀刻，发纹不锈钢
扶手：不锈钢扶手
地板：PVC

Car top: Hairline stainless steel, arch white light-emitting panel
Car wall: Etched mirror, hairline stainless steel
Handrail: Stainless steel handrail
Floor: PVC



▶ OMG-P06

吊顶：发纹不锈钢框架，两侧亚克力灯饰，多层透光板
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢圆单管
地板：PVC

Car top: Hairline stainless steel frame, both sides acrylic lighting, multilayer light transmission plate
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel round single tube
Floor: PVC



▶ OMG-P09

吊顶：发纹不锈钢，拱形顶，LED灯
轿壁：发纹不锈钢，镜面不锈钢
扶手：无
地板：PVC

Car top: Hairline stainless steel, arch top, LED lamp
Car wall: Hairline stainless steel, mirror stainless steel
Handrail: None
Floor: PVC



▶ OMG-P10

吊顶：发纹不锈钢框架，LED照明板
轿壁：蚀刻不锈钢，镜面不锈钢
扶手：无
地板：PVC

Car top: Hairline stainless steel frame, LED lighting panel
Car wall: Etching stainless steel, mirror stainless steel
Handrail: None
Floor: PVC



▶ OMG-P07

吊顶：镜面不锈钢框架配筒灯，中间部分白色有机板
轿壁：镜面不锈钢，发纹不锈钢
扶手：不锈钢扁扶手
地板：PVC

Car top: Mirror stainless steel frame with downlight, middle part of the organic board
Car wall: Mirror stainless steel, Hairline stainless steel
Handrail: Stainless steel flat handrail
Floor: PVC



▶ OMG-P08

吊顶：发纹不锈钢框架，两侧亚克力灯饰
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：无
地板：PVC

Car top: Hairline stainless steel frame, low-side acrylic lighting decoration
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: None
Floor: PVC



▶ OMG-P11

吊顶：香槟金镜面不锈钢，拱形白色透光板，LED灯
轿壁：发纹不锈钢，镜面不锈钢
扶手：不锈钢单管
地板：PVC

Car top: Champagne gold mirror stainless steel, arched white translucent plate, LED lamp
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel single tube
Floor: PVC



▶ OMG-P12

吊顶：镜面不锈钢，LED筒灯
轿壁：发纹不锈钢
扶手：无
地板：PVC

Car top: Mirror stainless steel, LED down light
Car wall: Hairline stainless steel
Handrail: None
Floor: PVC



▶ OMG-P13

吊顶: 发纹不锈钢, 拱形白色透光板, LED灯
轿壁: 镜面蚀刻, 发纹不锈钢
扶手: 不锈钢三管扶手
地板: PVC

Car top: Hairline stainless steel, arch white light-emitting panel, LED lamp
Car wall: Etched mirror, hairline stainless steel
Handrail: Stainless steel three tube handrail
Floor: PVC



▶ OMG-P14

吊顶: 发纹不锈钢, 艺术造型顶, LED灯
轿壁: 发纹不锈钢, 镜面蚀刻不锈钢
扶手: 不锈钢扁扶手
地板: PVC

Car top: Hairline stainless steel, artistic modeling top, LED lamp
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrails
Floor: PVC



▶ OMG-P17

吊顶: 发纹不锈钢, 装饰灯, 有机发光板
轿壁: 发纹不锈钢, 镜面蚀刻不锈钢
扶手: 不锈钢单管
地板: PVC

Car top: Hairline stainless steel, decorative lights, organic light-emitting panels
Car wall: Hairline stainless steel, mirror etched stainless steel
Handrail: Stainless steel single tube
Floor: PVC



▶ OMG-P18

吊顶: 镜面不锈钢, 亚克力拱顶, 圆柱形中空透明灯柱
轿壁: 发纹不锈钢, 镜面蚀刻不锈钢
扶手: 三联不锈钢管
地板: PVC

Car top: Mirror stainless steel, acrylic arched, cylindrical hollow transparent light pole
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Triple stainless steel tubes
Floor: PVC



▶ OMG-P15

吊顶: 镜面不锈钢, 有机透光板
轿壁: 发纹不锈钢, 镜面不锈钢
扶手: 无
地板: PVC

Car top: Mirror stainless steel, organic light transmitting board
Car wall: Hairline stainless steel, mirror stainless steel
Handrail: None
Floor: PVC



▶ OMG-P16

吊顶: 发纹不锈钢, 方形长灯管
轿壁: 镜面不锈钢, 镜面蚀刻发纹不锈钢
扶手: 无
地板: PVC

Car top: Hairline stainless steel, square long tube
Car wall: Mirror stainless steel, mirror etched hairline stainless steel
Handrail: None
Floor: PVC



▶ OMG-P19

吊顶: 发纹不锈钢, 亚克力灯饰, 筒灯
轿壁: 发纹不锈钢, 镜面不锈钢
扶手: 不锈钢单管
地板: PVC

Car top: Hairline stainless steel, acrylic lighting decoration, down lamp
Car wall: Hairline stainless steel, mirror stainless steel
Handrail: Stainless steel single tube
Floor: PVC



▶ OMG-P20

吊顶: 发纹不锈钢, 拱形白色透光板
轿壁: 镜面蚀刻不锈钢, 发纹不锈钢
扶手: 不锈钢单管
地板: PVC

Car top: Hairline stainless steel frame, acrylic lighting decoration, LED lighting
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: None
Floor: PVC



▶ OMG-P21

吊顶：宽幅影像拱顶的柔光照明设计
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢单管扶手
地板：PVC

Car top: Soft lighting design of wide image dome
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrail
Floor: PVC



▶ OMG-P22

吊顶：中部U型发纹底板加筒灯，两侧辅以镜面镂空的柔光照明设计
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：亚克力扁扶手
地板：PVC

Car top: Middle U type hairline plate with downlight, soft lighting design on both sides with mirror hollow plate
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Acrylic flat handrail
Floor: PVC



▶ OMG-P25

吊顶：发纹不锈钢框架配灯饰，亚克力透光板
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢圆扶手
地板：PVC

Car top: Hairline stainless steel frame with tube lamp, arched white transparent print
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel round handrail
Floor: PVC



▶ OMG-P26

吊顶：发纹不锈钢框架，亚克力透光板
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢圆扶手
地板：PVC

Car top: Hairline stainless steel frame, arched white transparent print
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrails
Floor: PVC



▶ OMG-P23

吊顶：宽幅影像拱顶的柔光照明设计
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢单管扶手
地板：PVC

Car top: Soft lighting design of wide image dome
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrail
Floor: PVC



▶ OMG-P24

吊顶：宽幅影像拱顶的柔光照明设计
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：亚克力扁扶手
地板：PVC

Car top: Soft lighting design of wide image dome
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrail
Floor: PVC



▶ OMG-P27

吊顶：发纹不锈钢，拱形白色透光板，LED灯
轿壁：发纹蚀刻，发纹不锈钢
扶手：不锈钢扶手
地板：PVC

Car top: Hairline stainless steel, arched white translucent plate, LED lamp
Car wall: Etched mirror, hairline stainless steel
Handrail: Stainless steel handrail
Floor: PVC



▶ OMG-P28

吊顶：发纹不锈钢框架配灯饰，亚克力透光板
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：不锈钢扁扶手
地板：PVC

Car top: Hairline stainless steel frame with lighting, acrylic translucent plate
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrails
Floor: PVC



▶ OMG-P29

吊顶: 发纹不锈钢, 有机发光板
轿壁: 发纹不锈钢, 化妆镜
扶手: 不锈钢扁扶手
地板: PVC

Car top: Hairline stainless steel, organic light-emitting panel
Car wall: Hairline stainless steel, cosmetic mirror
Handrail: Stainless steel flat handrails
Floor: PVC



▶ OMG-P30

吊顶: 在中式木格造型基础上, 铺以白色透光板
轿壁: 发纹不锈钢, 镜面蚀刻不锈钢
扶手: 不锈钢扁扶手
地板: PVC

Car top: Stainless steel frame with white acrylic lighting panel
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrail
Floor: PVC



▶ OMG-P33

吊顶: 发纹不锈钢框架配灯饰, 亚克力透光板
轿壁: 发纹不锈钢, 镜面蚀刻不锈钢
扶手: 不锈钢圆扶手
地板: PVC

Car top: Hairline stainless steel frame with tube lamp, arched white transparent print
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel round handrail
Floor: PVC



▶ OMG-P34

吊顶: 发纹不锈钢框架配灯饰, 亚克力装饰板
轿壁: 发纹不锈钢, 镜面蚀刻不锈钢
扶手: 不锈钢扁扶手
地板: PVC

Car top: Hairline stainless steel frame with tube lamp, acrylic decoration panel
Car wall: Hairline stainless steel, mirror etching stainless steel
Handrail: Stainless steel flat handrails
Floor: PVC



▶ OMG-P31

吊顶: 发纹不锈钢框架, 拱形白色透光板, 筒灯
轿壁: 发纹、镜面、蚀刻不锈钢
扶手: 三联不锈钢管
地板: PVC

Car top: Hairline stainless steel frame, arched white light-emitting panel, down light
Car wall: Hairline, mirror, etching stainless steel
Handrail: Triple stainless steel tubes
Floor: PVC



▶ OMG-P32

吊顶: 镜面不锈钢, 拱形白色透光板, 筒灯
轿壁: 发纹不锈钢, 镜面不锈钢
扶手: 不锈钢单管
地板: PVC

Car top: Mirror stainless steel, arch white light-emitting panel, two-side down lamp
Car wall: Hairline stainless steel, mirror stainless steel
Handrail: Stainless steel single tube
Floor: PVC



▶ OMG-P35

吊顶: 镜面不锈钢, 亚克力透光板, 筒灯
轿壁: 发纹不锈钢, 镜面蚀刻不锈钢
扶手: 不锈钢圆管
地板: PVC

Car top: Mirror stainless steel, arch light-emitting panel, down lamp
Car wall: Hairline stainless steel, etched mirror stainless steel
Handrail: Stainless steel round tube
Floor: PVC



▶ OMG-P36

吊顶: 发纹不锈钢, 亚克力透光板
轿壁: 发纹蚀刻不锈钢, 艺术贴膜装饰
扶手: 不锈钢单管扶手
地板: PVC

Car top: Hairline stainless steel, acrylic translucent plate
Car wall: Hairline etching stainless steel, artistic veneer decoration
Handrail: Stainless steel single rail handrail
Floor: PVC



▶ OMG-P37

吊顶：钛金镜面边框，亚克力灯饰，筒灯
轿壁：钛金不锈钢，钛金镜面不锈钢
扶手：钛金单管圆扶手
地板：PVC


Car top: Titanium gold mirror frame, acrylic lighting, down lamp
Car wall: Titanium gold stainless steel, titanium gold mirror stainless steel
Handrail: Titanium single tube handrail
Floor: PVC



▶ OMG-P39

吊顶：钛金发纹不锈钢，亚克力透光板
轿壁：钛金镜面不锈钢，钛金镜面蚀刻
扶手：钛金不锈钢单管扶手
地板：PVC

Car top: Titanium gold hairline stainless steel, acrylic translucent plate
Car wall: Titanium gold mirror stainless steel, titanium gold mirror etch
Handrail: Titanium alloy stainless steel single pipe handrail
Floor: PVC



▶ OMG-P38

吊顶：钛金镜面不锈钢边框，筒灯，亚克力透光
轿壁：钛金，镜面，蚀刻
扶手：钛金不锈钢扁扶手
地板：PVC

Car top: Titanium gold mirror stainless steel side-frame, down lamp, acrylic light-emitting
Car wall: Titanium gold, mirror, etched
Handrail: Titanium gold stainless steel flat handrail
Floor: PVC



▶ OMG-P40

吊顶：喷涂造型不锈钢，镜面不锈钢，筒灯
轿壁：钛金镜面不锈钢，钛金镜面蚀刻
扶手：无
地板：PVC

Car top: Painted modeling stainless steel, mirror stainless steel, down lamp
Car wall: Titanium gold mirror stainless steel, titanium gold etched mirror
Handrail: None
Floor: PVC



▶ OMG-P41

吊顶：钛金镜面边框，中间白色彩绘板
轿壁：钛金，镜面，蚀刻
扶手：钛金与实木组合
地板：PVC

Car top: Titanium gold mirror border, middle white color plate
Car wall: Titanium, mirror, etch
Handrail: Combination of titanium and solid wood
Floor: PVC



▶ OMG-P43

吊顶：镜面不锈钢框架，亚克力灯饰，LED灯
轿壁：镜面蚀刻不锈钢，发纹不锈钢
扶手：不锈钢单管
地板：PVC

Car top: Mirror stainless steel frame, acrylic lighting, LED lamp
Car wall: Mirror etched stainless steel, hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC



▶ OMG-P42

吊顶：发纹不锈钢，亚克力透光板
轿壁：发纹、镜面、钛金蚀刻
扶手：不锈钢单管
地板：PVC

Car top: Hairline stainless steel, acrylic light-emitting panel
Car wall: Hairline, mirror, titanium gold-etching
Handrail: Stainless steel tube
Floor: PVC



▶ OMG-P44

吊顶：钛金镜面边框，筒灯，钛金镜面蚀刻，吸顶灯
轿壁：大理石，镜面蚀刻，钛金镜面
扶手：无
地板：PVC

Car top: Titanium gold mirror side-frame, down lamp, titanium gold etched mirror, ceiling lamp
Car wall: Marble, etched mirror, titanium gold mirror
Handrail: None
Floor: PVC



▶ OMG-P45

吊顶：钛金发纹边框，拱形白色透光板
轿壁：钛金发纹不锈钢，钛金镜面
扶手：钛金不锈钢单管
地板：PVC

Car top: Titanium gold hairline frame, arched white translucent plate
Car wall: Titanium blond stainless steel, titanium gold mirror
Handrail: Titanium alloy stainless steel single tube
Floor: PVC



▶ OMG-P46

吊顶：钛金镜面边框，亚克力灯饰，LED灯
轿壁：钛金不锈钢，镜面蚀刻不锈钢
扶手：钛金不锈钢单管
地板：PVC

Car top: Titanium gold mirror frame, acrylic lighting, LED
Car wall: Titanium gold stainless steel, mirror etched stainless steel
Handrail: Titanium alloy stainless steel single tube
Floor: PVC



▶ OMG-P49

吊顶：钛金发纹不锈钢，吸顶灯
轿壁：镜面不锈钢，钛金镜面蚀刻不锈钢
扶手：钛金圆扶手
地板：PVC


Car top: Titanium blond stainless steel, ceiling lamp
Car wall: Mirror stainless steel, titanium gold mirror etched stainless steel
Handrail: Titanium handrail
Floor: PVC



▶ OMG-P50

吊顶：玫瑰金镜面不锈钢，LED筒灯
轿壁：玫瑰金镜面不锈钢，镜面蚀刻
扶手：无
地板：PVC

Car top: Rose gold mirror stainless steel, LED down lamp
Car wall: Rose gold mirror stainless steel, mirror etching
Handrail: None
Floor: PVC



▶ OMG-P47

吊顶：钛金发纹不锈钢，LED灯饰
轿壁：钛金镜面不锈钢，钛金镜面蚀刻不锈钢
扶手：钛金不锈钢三管扶手
地板：PVC

Car top: Titanium gold stainless steel, tube lamp
Car wall: Titanium gold mirror stainless steel, titanium gold mirror etching stainless steel
Handrail: Triple titanium gold stainless steel round handrail
Floor: PVC



▶ OMG-P48

吊顶：发纹不锈钢框架配灯饰，白色透明板的柔光照明设计
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：钛金与实木组合
地板：PVC

Car top: Hair stainless steel frame with tube lamp, white transparent panel with soft lighting design
Car wall: Hairline stainless steel, Rose gold mirror etching stainless steel
Handrail: Combination of titanium and solid wood
Floor: PVC



▶ OMG-P51

吊顶：木饰面，镜面装饰条配LED灯
轿壁：木饰面，钛金镜面不锈钢
扶手：无
地板：PVC

Car top: Wood veneer, mirror decoration strip and LED lamp
Car wall: Wood facing, titanium gold mirror stainless steel
Handrail: None
Floor: PVC



▶ OMG-P52

吊顶：玫瑰金镜面不锈钢配灯饰，有机透光板
轿壁：玫瑰金镜面蚀刻不锈钢，发纹不锈钢
扶手：玫瑰金不锈钢圆扶手
地板：PVC

Car top: Rose gold mirror stainless steel with lighting, organic translucent panel
Car wall: Rose gold mirror etched stainless steel, hairline stainless steel
Handrail: Rose gold stainless steel round handrail
Floor: PVC



▶ OMG-P53

吊顶: 钛金镜面不锈钢框架, 亚克力透光板
轿壁: 钛金发纹不锈钢, 钛金镜面蚀刻不锈钢
扶手: 木与钛金不锈钢组合圆扶手
地板: PVC


Car top: Titanium gold mirror stainless steel frame, acrylic transparent light
Car wall: Titanium gold hairline stainless steel, titanium gold mirror etching stainless steel
Handrail: Wood and titanium gold stainless steel round handrail
Floor: PVC



▶ OMG-P55

吊顶: 钛金镜面不锈钢, 中空镂空加吸顶灯
轿壁: 钛金镜面不锈钢, 镜面发纹不锈钢
扶手: 钛金与实木扶手
地板: PVC

Car top: Titanium gold mirror stainless steel, hollow hollowing and ceiling lamp
Car wall: Titanium gold mirror stainless steel, mirror hairline stainless steel
Handrail: Titanium and solid wood handrails
Floor: PVC



▶ OMG-P54

吊顶: 钛金镜面不锈钢, 亚克力照明设计
轿壁: 钛金镜面不锈钢, 镜面蚀刻不锈钢
扶手: 钛金不锈钢三管扶手
地板: PVC

Car top: Titanium gold mirror stainless steel, acrylic lighting design
Car wall: Titanium gold mirror steel, titanium mirror etching stainless steel
Handrail: Triple titanium gold stainless steel round handrail
Floor: PVC



▶ OMG-P56

吊顶: 钛金镜面不锈钢, 中空镂空加吸顶灯
轿壁: 钛金镜面不锈钢, 镜面蚀刻不锈钢
扶手: 钛金单管扶手
地板: PVC

Car top: Titanium gold mirror stainless steel, hollow hollowing and ceiling lamp
Car wall: Titanium gold mirror stainless steel, mirror etched stainless steel
Handrail: Titanium single pipe handrail
Floor: PVC



▶ OMG-P57

吊顶: 木饰吊顶, 暗藏灯带, 吸顶灯
轿壁: 木饰面, 钛金腰线, 木饰围边
扶手: 钛金与实木组合
地板: PVC

Car top: Wooden ceiling, concealed lamp belt, ceiling lamp
Car wall: Wood veneer, titanium gold waistline, wooden trim
Handrail: Combination of titanium and solid wood
Floor: PVC



▶ OMG-P59

吊顶: 木饰面框架中间贴金箔四周内部灯槽照明设计
轿壁: 咖啡色镜面不锈钢与木饰面, 镜面蚀刻
扶手: 咖啡色发纹不锈钢圆扶手
地板: PVC

Car top: Lighting design of inner lighting trough around gold lining of wood veneer frame
Car wall: Coffee mirror, stainless steel and wood veneer, mirror etching
Handrail: Stainless steel round handle
Floor: PVC



▶ OMG-P58

吊顶: 镜面不锈钢框架, 亚克力透光板
轿壁: 木纹饰面嵌不锈钢条, 黑钛镜面
扶手: 不锈钢扁扶手
地板: PVC

Car top: Mirror stainless steel frame, acrylic light-emitting panel
Car wall: Wood-grain decoration inlaid with stainless steel strip, black titanium gold mirror
Handrail: Stainless steel flat handrail
Floor: PVC



▶ OMG-P60

吊顶: 木饰面吊顶框, 拱形金色烤漆加筒灯照明
轿壁: 木饰面镶嵌钛金发纹装饰条, 后中镜面蚀刻
扶手: 实木与钛金组合
地板: PVC

Car top: Wood facing ceiling frame, arched golden paint and down lamp illumination
Car wall: Wood veneer inlaid with titanium blond decorative strips, and rear mirror etching
Handrail: Solid wood and titanium gold combination
Floor: PVC



▶ OMG-P61

吊顶: 木饰面框架, 中间贴金箔纸, 四筒筒灯照明设计
轿壁: 木饰面边框, 软包与钛金蚀刻加镜面不锈钢组合
扶手: 圆木与钛金组合
地板: PVC

Car top: Decorative frame, middle foil, and side lighting design
Car wall: Wood facing frame, soft package and titanium gold etched mirror stainless steel combination
Handrail: Wood titanium gold combination
Floor: PVC



▶ OMG-P63

吊顶: 古铜色镜面不锈钢, 亚克力透光
轿壁: 发纹不锈钢, 古铜色镜面蚀刻不锈钢
扶手: 古铜色不锈钢与实木组合
地板: PVC

Car top: Bronze mirror stainless steel, acrylic lighting transmission
Car wall: Hairline stainless steel, bronze mirror etched stainless steel
Handrail: Combination of stainless steel and solid wood
Floor: PVC



▶ OMG-P62

吊顶: 金属烤漆, 中间贴金箔
轿壁: 清镜、实木饰面, 大理石饰面
扶手: 木质与钛金组合扶手
地板: PVC

Car top: Metal paint, gold foil in the middle
Car wall: Clear mirror, solid wood veneer, marble finish
Handrail: Wooden and titanium combined armrest
Floor: PVC



▶ OMG-P64

吊顶: 香槟金边框, 亚克力透光板
轿壁: 香槟金、镜面、蚀刻
扶手: 香槟金与实木组合
地板: PVC

Car top: Champagne gold border, acrylic transparent board
Car wall: Champagne gold, mirror, etching
Handrail: Champagne gold and solid wood combination
Floor: PVC



▶ OMG-P65

吊顶: 镜面不锈钢, 有机发光板, 筒灯
轿壁: 木饰面, 镜面不锈钢
扶手: 不锈钢扁扶手
地板: PVC

Car top: Mirror stainless steel, organic light-emitting panels, down lights
Car wall: Wood veneer, mirror stainless steel
Handrail: Stainless steel flat armrest
Floor: PVC



▶ OMG-P67

吊顶: 钢板喷漆, 亚克力照明设计
轿壁: 镜面不锈钢, 木饰面
扶手: 圆木与不锈钢组合扶手
地板: PVC

Car top: Painted steel frame, acrylic soft lighting design
Car wall: Mirror stainless steel, wood veneer
Handrail: Wood and stainless steel round handrail
Floor: PVC



▶ OMG-P66

吊顶: 发纹不锈钢, 喷涂钢板, 暗藏灯带, 筒灯
轿壁: 仿真皮装饰加镜面不锈钢
扶手: 仿真皮圆扶手
地板: PVC

Car top: Hairline stainless steel, spraying steel plate, concealed lamp belt, down lamp
Car wall: Imitation leather decoration plus mirror stainless steel
Handrail: Simulation leather handrail
Floor: PVC



▶ OMG-P68

吊顶: 不锈钢, 管灯, 白木板, 艺术灯
轿壁: 木饰面, 大理石饰面
扶手: 圆木与不锈钢组合扶手
地板: PVC

Car top: Stainless steel, tube lamp, white wood veneer, art light
Car wall: Wood veneer, marble
Handrail: Wood and stainless steel round handrail
Floor: PVC



▶ OMG-P69

吊顶：镜面不锈钢，亚克力透光，射灯
轿壁：木饰面开槽，镜面不锈钢
扶手：圆木与钛金组合
地板：PVC

Car top: Mirror stainless steel, acrylic translucent light
Car wall: Wooden finishes slotted with mirror stainless steel
Handrail: Log handrails both ends of titanium, stainless steel
Floor: PVC



▶ OMG-P70

吊顶：镜面不锈钢，亚克力透光
轿壁：大理石，不锈钢压筋，发纹不锈钢
扶手：木质与镜面不锈钢组合扶手
地板：PVC

Car top: Mirror stainless steel, acrylic translucent
Car wall: Marble, stainless steel bar, hairline stainless steel
Handrail: Wooden and mirror stainless steel combined armrest
Floor: PVC



▶ OMG-P73

吊顶：发纹不锈钢，亚克力透光，筒灯
轿壁：木饰面嵌不锈钢饰条，镜面不锈钢
扶手：圆木扶手，两端镜面不锈钢
地板：PVC

Car top: Hairline stainless steel, acrylic translucent, down light
Car wall: Wood veneer with stainless steel trim, mirror stainless steel
Handrail: Combination of titanium and solid wood
Floor: Log and mirror stainless steel



▶ OMG-P74

吊顶：钛金镜面不锈钢，顶部金箔，筒灯
轿壁：柚木饰面，金属马赛克，钛金镜面不锈钢
扶手：无
地板：PVC

Car top: Titanium gold mirror stainless steel, gold foil, down lamp
Car wall: Teak veneer, metal mosaic, titanium gold mirror stainless steel
Handrail: None
Floor: PVC



▶ OMG-P71

吊顶：钛金镜面不锈钢，亚克力透光，筒灯
轿壁：钛金镜面不锈钢，发纹不锈钢
扶手：圆木与钛金扶手
地板：PVC

Car top: Titanium gold mirror stainless steel, acrylic translucent, down light
Car wall: Titanium gold mirror stainless steel, hairline stainless steel
Handrail: Log handrails both ends of titanium, stainless steel
Floor: PVC



▶ OMG-P72

吊顶：镜面不锈钢框架，发纹不锈钢饰盘
水晶柱，暗藏灯带，筒灯
轿壁：木饰面，镜面不锈钢
扶手：圆木与镜面不锈钢扶手
地板：PVC

Car top: Mirror stainless steel frame, hairline stainless steel plate, crystal pillar, concealed lamp belt, down lamp
Car wall: Wood veneer, mirror stainless steel
Handrail: Log and mirror stainless steel
Floor: PVC



▶ OMG-P75

吊顶：发纹不锈钢，拱形亚克力
轿壁：发纹不锈钢，木纹饰面
扶手：亚克力扶手，两端不锈钢
地板：PVC

Car top: Hairline stainless steel, arch acrylic
Car wall: Hairline stainless steel, wood grain veneer
Handrail: Acrylic armrest, stainless steel at both ends
Floor: PVC



▶ OMG-P76

吊顶：喷涂钢板，暗藏灯带，木饰面，筒灯
轿壁：镜面不锈钢，木纹饰面，不锈钢压筋
扶手：不锈钢平头嵌扶手
地板：PVC

Car top: Spraying steel plate, concealed lamp belt, wood veneer, down lamp
Car wall: Mirror stainless steel, wood grain finish, stainless steel bars
Handrail: Stainless steel flat head handrail
Floor: PVC

OBSERVATION ELEVATOR CAR DECORATION



► OMG-G01

上下罩: 钛金蚀刻, 钢板烤漆
观光壁: 安全夹胶玻璃
装饰顶: 钢板烤漆, 亚克力灯饰
轿厢壁: 钛金镜面蚀刻不锈钢
扶手: 钛金双管
地板: PVC

Upper / lower cover: Titanium gold etching, steel plate baked enamel
Observation wall: Safety laminated glass
Decoration top: Steel plate baked enamel, acrylic lighting decoration
Car wall: Titanium gold mirror etched stainless steel
Handrail: Titanium gold double tube
Floor: PVC



► OMG-G02

上下罩: 半圆形亚克力冠加金属外罩及钢板喷涂围板
观光壁: 安全夹胶玻璃三块
装饰顶: 艺术造型灯, 筒灯
轿厢壁: 发纹蚀刻不锈钢
扶手: 不锈钢双管
地板: PVC

Upper / lower cover: Half-round acrylic crown, metal outer cover, painted steel plate skirting
Observation wall: 3PCS of safety laminated glass
Decoration top: Art modeling lamp, down lamp
Car wall: Hairline etched stainless steel
Handrail: Stainless steel double tube
Floor: PVC



▶ OMG-G03

上下罩：亚克力半球形罩
 观光壁：安全夹胶玻璃
 装饰顶：钢板烤漆框架，亚克力灯饰
 轿厢壁：发纹不锈钢
 扶手：不锈钢单管
 地板：PVC

Upper / lower cover: Acrylic hemispheric cover
 Observation wall: Safety laminated glass
 Decoration top: Steel plate baked enamel frame, acrylic lighting decoration
 Car wall: Hairline stainless steel
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G04

上下罩：白色亚克力球罩
 观光壁：安全夹胶玻璃
 装饰顶：发纹不锈钢，亚克力灯饰，筒灯
 轿厢壁：发纹不锈钢
 扶手：不锈钢圆管
 地板：PVC

Upper / lower cover: White acrylic dome cover
 Observation wall: Safety laminated glass
 Decoration top: Hairline stainless steel, acrylic lighting decoration, down lamp
 Car wall: Stainless steel hairline panel
 Handrail: Hairline stainless steel
 Floor: PVC



▶ OMG-G05

上下罩：彩钢板，亚克力装饰
 观光壁：夹层安全玻璃
 装饰顶：镜面不锈钢，亚克力轿厢壁：发纹不锈钢
 扶手：不锈钢双管
 地板：PVC


Upper / lower cover: Painted steel, acrylic decoration
 Observation wall: Laminated safety glass
 Decoration top: Mirror stainless steel, acrylic
 Car wall: Hairline stainless steel
 Handrail: Stainless steel double-tube
 Floor: PVC



▶ OMG-G06

上下罩：楼梯踏板圆盘烤漆，装饰灯
 观光壁：安全夹胶玻璃
 装饰顶：钢板烤漆、亚克力灯饰
 轿厢壁：钛金发纹不锈钢
 扶手：不锈钢单管
 地板：PVC

Upper / lower cover: Stair-step round steel plate baked enamel, decoration lamp
 Observation wall: Safety laminated glass
 Decoration top: Steel plate baked enamel, acrylic lighting decoration
 Car wall: Stainless steel titanium gold hairline panel
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G07

上下罩：钢板喷涂加竖条图案
 观光壁：安全夹胶玻璃三块
 装饰顶：影像板加两侧筒灯
 轿厢壁：发纹不锈钢
 扶手：不锈钢双管
 地板：PVC

Upper / lower cover: Painted steel plate, vertical design
 Observation wall: 3PCS of safety laminated glass
 Decoration top: Image board, two-side down lamp
 Car wall: Hairline stainless steel
 Handrail: Stainless steel double-tube
 Floor: PVC



▶ OMG-G08

上下罩：喷涂钢板，加枫叶图案
 观光壁：安全夹胶玻璃三块
 装饰顶：发纹不锈钢，亚克力灯饰
 轿厢壁：发纹不锈钢
 扶手：不锈钢双管
 地板：PVC

Upper / lower cover: Spraying steel plate and maple leaf pattern
 Observation wall: 3PCS of safety laminated glass
 Decoration top: Hairline stainless steel, acrylic lighting
 Car wall: Hairline stainless steel
 Handrail: Stainless steel double-tube
 Floor: PVC



▶ OMG-G09

上下罩: 发纹不锈钢
 观光壁: 安全夹胶玻璃
 装饰顶: 发纹不锈钢, 亚克力灯饰
 轿厢壁: 发纹不锈钢
 扶手: 不锈钢双管
 地板: PVC

Upper / lower cover: Hairline stainless steel
 Observation wall: Safety laminated glass
 Decoration top: Hairline stainless steel, acrylic lighting decoration
 Car wall: Hairline stainless steel
 Handrail: Stainless steel double-tube
 Floor: PVC



▶ OMG-G10

上下罩: 梯级五边形钢板烤漆加装饰灯
 观光壁: 安全夹胶玻璃
 装饰顶: 中间圆形亚克力顶灯, 两侧筒灯
 轿厢壁: 发纹不锈钢, 蚀刻不锈钢
 扶手: 不锈钢单管
 地板: PVC

Upper / lower cover: Stepped Pentagon plate baking paint plus decorative lamp
 Observation wall: Safety laminated glass
 Decoration top: Middle circular acrylic ceiling lamp, two side down lights
 Car wall: Hairline stainless steel, etched stainless steel
 Handrail: Stainless steel single tube
 Floor: PVC



▶ OMG-G11

上下罩: 钢板烤漆
 观光壁: 安全夹胶玻璃
 装饰顶: 钢板喷漆, 亚克力灯饰
 轿厢壁: 发纹不锈钢
 扶手: 不锈钢单管
 地板: PVC

Upper / lower cover: Steel plate lacquer
 Observation wall: Safety laminated glass
 Decoration top: Steel plate spray molding, acrylic lighting
 Car wall: Hairline stainless steel
 Handrail: Stainless steel single tube
 Floor: PVC



▶ OMG-G12

上下罩: 钢板喷不锈钢色, 亚克力透光
 观光壁: 安全夹胶玻璃
 装饰顶: 钢板喷漆, 亚克力透光
 轿厢壁: 发纹不锈钢
 扶手: 不锈钢单管
 地板: PVC

Upper / lower cover: Steel plate spray stainless steel color, acrylic light transmission
 Observation wall: Safety laminated glass
 Decoration top: Steel spray paint, acrylic translucent
 Car wall: Hairline stainless steel
 Handrail: Stainless steel single tube
 Floor: PVC



▶ OMG-G13

上下罩: 钢板烤漆, 灯饰
 观光壁: 安全夹胶玻璃
 装饰顶: 钢板烤漆顶板, 乳白色亚克力灯饰
 轿厢壁: 发纹不锈钢
 扶手: 不锈钢双管
 地板: PVC

Upper / lower cover: Steel plate baking paint, lighting
 Observation wall: Safety laminated glass
 Decoration top: Steel plate baking top, milk white acrylic lighting
 Car wall: Hairline stainless steel
 Handrail: Stainless steel double tube
 Floor: PVC



▶ OMG-G14

上下罩: 钢板烤漆, 装饰灯
 观光壁: 安全夹胶玻璃
 装饰顶: 中心圆形亚克力灯, 双面LED
 轿厢壁: 发纹不锈钢, 蚀刻不锈钢
 扶手: 不锈钢单管
 地板: PVC

Upper / lower cover: Steel plate baked enamel, decoration lamp
 Observation wall: Safety laminated glass
 Decoration top: Central round acrylic top lamp, two-side LED
 Car wall: Hairline stainless steel, etched stainless steel
 Handrail: Stainless steel single tube
 Floor: PVC



▶ OMG-G15

上下罩：圆形切角钢板烤漆，亚克力透光
 观光壁：安全夹胶玻璃
 装饰顶：钢板烤漆框架，亚克力透光及筒灯照明
 轿厢壁：发纹不锈钢
 扶手：不锈钢双管
 地板：PVC

Upper / lower cover: Round corner-cut steel plate baked enamel, acrylic light-emitting
 Observation wall: Safety laminated glass
 Decoration top: Steel plate baked enamel frame, acrylic light-emitting and down lamp
 Car wall: Hairline stainless steel
 Handrail: Stainless steel double tube
 Floor: PVC



▶ OMG-G16

上下罩：发纹不锈钢
 观光壁：安全夹胶玻璃
 装饰顶：发纹不锈钢，亚克力灯饰，筒灯
 轿厢壁：发纹不锈钢
 扶手：不锈钢圆管
 地板：PVC

Upper / lower cover: Hairline stainless steel
 Observation wall: Safety laminated glass
 Decoration top: Hairline stainless steel, acrylic lighting decoration, down lamp
 Car wall: Hairline stainless steel
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G17

上下罩：钢板喷漆
 观光壁：安全夹胶玻璃
 装饰顶：多层反光工艺板，亚克力灯柱照明设计
 轿厢壁：安全夹胶玻璃
 扶手：不锈钢圆管
 地板：PVC

Upper / lower cover: Painted steel
 Observation wall: Safety laminated glass
 Decoration top: Multilayer reflective plate technology, lighting design of acrylic lamp
 Car wall: Safety laminated glass
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G18

上下罩：钢板烤漆，灯带
 观光壁：安全夹胶玻璃
 装饰顶：发纹不锈钢，亚克力灯饰
 轿厢壁：发纹不锈钢
 扶手：不锈钢圆管
 地板：PVC

Upper / lower cover: Steel plate baking paint, lamp belt
 Observation wall: Safety laminated glass
 Decoration top: Hairline stainless steel, acrylic lighting
 Car wall: Hairline stainless steel
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G19

上下罩: 发纹不锈钢
 观光壁: 安全夹胶玻璃
 装饰顶: 钢板烤漆, 亚克力透光, LED灯
 轿厢壁: 发纹不锈钢
 扶手: 不锈钢圆管
 地板: PVC

Upper / lower cover: Hairline stainless steel
 Observation wall: Safety laminated glass
 Decoration top: Steel baking paint, acrylic translucent, LED lamp
 Car wall: Hairline stainless steel
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G20

上下罩: 发纹不锈钢加装饰条
 观光壁: 安全夹胶玻璃
 装饰顶: 发纹不锈钢, 亚克力灯饰, 筒灯
 轿厢壁: 发纹不锈钢
 扶手: 不锈钢圆管
 地板: PVC

Upper / lower cover: Hairline stainless steel and decorative strips
 Observation wall: Safety laminated glass
 Decoration top: Hairline stainless steel, acrylic lighting, down lamp
 Car wall: Hairline stainless steel
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G21

上下罩: 钢板喷涂
 观光壁: 安全夹胶玻璃
 装饰顶: 发纹不锈钢, 亚克力灯饰
 轿厢壁: 发纹不锈钢
 扶手: 不锈钢圆管
 地板: PVC

Upper / lower cover: Steel plate spraying
 Observation wall: Safety laminated glass
 Decoration top: Hairline stainless steel, acrylic lighting
 Car wall: Hairline stainless steel
 Handrail: Stainless steel mono-tube
 Floor: PVC



▶ OMG-G22

上下罩: 钢板烤漆加夹胶安全玻璃, 亚克力灯饰
 观光壁: 安全夹胶玻璃
 装饰顶: 钢板烤漆, 亚克力灯饰
 轿厢壁: 夹胶安全玻璃
 扶手: 不锈钢圆管
 地板: PVC

Upper / lower cover: Steel baking varnish and laminated safety glass, acrylic lighting
 Observation wall: Safety laminated glass
 Decoration top: Steel baking paint, acrylic lighting
 Car wall: Hairline stainless steel
 Handrail: Safety laminated glass
 Floor: PVC

Freight Elevator Car Decoration



▶ OMG-Z01

吊顶：喷涂钢板 轿壁/轿门：喷涂钢板
 扶手：节能灯 开门方式：旁开式 地板：花纹钢板
 Ceiling: Paint steel
 Car wall/Car Door: Paint steel
 Illumination: Energy-saving light
 Door opening mode: Side opening
 Floor: Checkered plate



▶ OMG-Z02

吊顶：发纹不锈钢 轿壁/轿门：发纹不锈钢
 扶手：节能灯 开门方式：中分双折式 地板：PVC
 Ceiling: Hairline stainless steel
 Car wall/Car Door: Hairline stainless steel
 Illumination: Energy-saving light
 Door opening mode: Center-opening & double folded tybe
 Floor: Checkered plate

Bed Elevator Car Decoration



▶ OMG-B01

吊顶：喷涂钢板，LED照明
 轿壁：发纹不锈钢
 扶手：双扁形不锈钢
 地板：PVC

Car top: Paint steel, LED lighting
 Car wall: Hairline stainless steel
 Handrail: Double flat stainless steel
 Floor: PVC




▶ OMG-B02

吊顶：喷涂钢板，LED照明
 轿壁：发纹不锈钢
 扶手：双扁形不锈钢
 地板：PVC

Car top: Paint steel, LED lighting
 Car wall: Hairline stainless steel
 Handrail: Double flat stainless steel
 Floor: PVC

Operation Panel Series



OMG-O01
(选配 Optional)



OMG-OW01



OMG-OW01-1



OMG-O02
(选配 Optional)



OMG-OW02



OMG-O03 (选配 Optional)




OMG-OW03



OMG-O04 (选配 Optional)



OMG-OW04



OMG-O05 (选配 Optional)



OMG-OW05



OMG-OW05-1
无底盒召唤
No bottom box calling



OMG-O06 (选配 Optional)




OMG-OW06




OMG-OW06-1
无底盒召唤
No bottom box calling






Ceiling Series



▶ **OMG-C01**

不锈钢框架，配白色亚克力透光


Stainless steel side frame , soft lighting design of arch white light emitting panel



▶ **OMG-C02**

不锈钢框架，配白色亚克力透光

Stainless steel side frame , soft lighting design of arch white light emitting panel



▶ **OMG-C03**

不锈钢框架，配白色亚克力透光

Stainless steel side frame , soft lighting design of arch white light emitting panel



▶ **OMG-C04**

不锈钢框架，配白色亚克力透光

Stainless steel side frame , soft lighting design of arch white light emitting panel



▶ OMG-C05

白色拱形透光板和不锈钢镜面框架辅以灯饰
White arch light emitting panel , stainless steel mirror frame , light decoration



▶ OMG-C07

发纹不锈钢框架，白色透光板的柔光照明设计，筒灯
Steel plate plastic-jet frame , arch white transparent plate , light decoration




▶ OMG-C09

不锈钢框架，配白色亚克力透
Mirror stainless steel , acrylic



▶ OMG-C06

不锈钢边框加拱形白色透光板的柔光照明设计
Design of soft lighting for stainless steel border frame and arch white transparent plate




▶ OMG-C08

不锈钢边框加拱形白色透光板的柔光照明设计
Design of soft lighting for stainless steel border frame and arch white transparent plate



▶ OMG-C10

不锈钢镜面镂空板和白色有机板，配不锈钢框架
Stainless steel mirror hollowed plate and white organic plate with stainless steel frame



▶ OMG-C11

宽幅影像拱顶的柔光照明设计
Soft lighting design of wide image dome



▶ OMG-C12

中间乳白亚克力柱加金色筒灯的柔光照明设计
Soft lighting design of middle column and the golden white acrylic lamp



▶ OMG-C14

影像平顶加中部中空菱形透明灯柱的柔光照明设计
Mirror stainless steel , acrylic



▶ OMG-C16

中部是影像拱顶,两侧为不锈钢底板上辅以筒灯的柔光照明设计
The middle image roof , both sides for soft illumination design of stainless steel floor with downlight



▶ OMG-C18

在钢板喷涂底板上辅以金色筒灯与轿壁辉映
中间部分是拱形白色有机透明板的柔光照明设计
In the spraying steel plate floor with golden bridge wall shine tube lamp and the middle part is soft lighting design of the arch white organic transparent plate



▶ OMG-C13

中部是影像拱顶，两侧为不锈钢底板上辅以筒灯的柔光照明设计
The middle image roof , both sides for soft illumination design of stainless steel floor with downlight



▶ OMG-C15

垂直式方形影像主体灯板与筒灯结合的柔光照明设计
Hanging lamp board and soft lighting design with square image subject downlight



▶ OMG-C17

菱形中空透明灯柱，加拱形白色透光板的柔光照明设计
Diamond hollow transparent light pole , soft lighting design of arch white light-emitting panel



▶ OMG-C19

圆柱形中空透明灯柱，加拱形白色透光板的柔光照明设计
Cylindrical hollow transparent light pole, soft lighting design of arch white light-emitting panel



▶ OMG-C21

发纹不锈钢框架，拱形顶板加条形灯饰
Steel plate plastic-jet frame, acrylic lighting decoration



▶ OMG-C23

中间是影像平顶，两侧为不锈钢底板上辅以筒灯的柔光照明设计
The middle image is flat on both sides, for soft illumination design of stainless steel floor with downlight



▶ OMG-C20

影像拱顶加两侧菱形中空透明灯柱的柔光照明设计
Soft lighting design and image roof on both sides of rhombic hollow transparent lamp post



▶ OMG-C22

中部是影像拱顶，两侧为不锈钢底板上辅以筒灯的柔光照明设计(图像可客户提供)
The middle image is flat on both sides, for soft illumination design of stainless steel floor with downlight



▶ OMG-C24

中部是影像拱顶，两侧为不锈钢底板上辅以筒灯的柔光照明设计(图像可客户提供)
The middle image is flat on both sides, for soft illumination design of stainless steel floor with downlight



▶ OMG-C25

中部是影像拱顶，两侧为不锈钢底板上辅以筒灯的柔光照明设计(图像可客户提供)
The middle image is flat on both sides, for soft illumination design of stainless steel floor with downlight



▶ OMG-C26

中部是影像平顶，不锈钢底板上辅以中空菱形透明灯柱的柔光照明设计
The middle image is flat, soft lighting design of stainless steel floor with hollow diamond transparent lamp



▶ OMG-C28

双拱形白色有机透光板，加中部菱形透明灯柱的柔光照明设计
Double-arch white organic light-shade panel, central soft lighting design of diamond transparent light pole




▶ OMG-C30

不锈钢框架，中间拱形亚克力灯饰
Stainless steel frame, central arch acrylic lighting decoration



▶ OMG-C32

双拱形白色有机透光板，加中部筒灯的柔光照明设计
Double-arch white organic light-emitting panel, central soft lighting design of down lamp



▶ OMG-C27

宽幅拱形白色透光板的柔光照明设计
Soft lighting design of broad arch white light-emitting panel




▶ OMG-C29

钢板喷漆框架，配白色亚克力透光
Painted steel plate frame, white acrylic light-emitting




▶ OMG-C31

钢板喷漆灯箱，配筒灯照明
Painted steel plate light-box, down lamp lighting



Accessories
Decoration
-Door



OMG-M01

发纹, 蚀刻
hairline, etching



OMG-M02

发纹, 蚀刻
mirror, hairline




OMG-M03

镜面, 蚀刻
mirror, etching



OMG-M04

镜面, 蚀刻
mirror, etching



OMG-M05


发纹, 蚀刻
hairline, etching



OMG-M06

镜面, 蚀刻
mirror, etching





OMG-M07
镜面, 蚀刻
mirror, etching



OMG-M08
镜面, 蚀刻, 发纹
mirror, etching, hairline



OMG-M09
发纹, 蚀刻
mirror etching



OMG-M13
镜面, 蚀刻, 发纹
mirror, etching, hairline,



OMG-M14
钛金, 发纹, 蚀刻
Titanium gold, hairline, etching



OMG-M15
镜面, 蚀刻, 发纹
mirror, etching, hairline



OMG-M10
发纹, 蚀刻
mirror, etching



OMG-M11
镜面, 蚀刻
mirror, etching



OMG-M12
镜面, 蚀刻
mirror, etching



OMG-M16
钛金, 发纹, 蚀刻
Titanium gold, hairline, etching



OMG-M17
镜面, 蚀刻
mirror, etching



OMG-M18
镜面, 蚀刻, 发纹
mirror, etching, hairline,





OMG-M19

镜面, 蚀刻

mirror, etching



OMG-M20

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M21

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M25

镜面, 蚀刻

mirror, etching



OMG-M26

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M27

发纹, 蚀刻

Hairline, etching



OMG-M22

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M23

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M24

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M28

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M29

镜面, 蚀刻, 发纹

mirror, etching, hairline,



OMG-M30

镜面, 蚀刻

mirror, etching



OMG-M31
发纹, 蚀刻
Hairline, etching



OMG-M32
发纹, 蚀刻
Hairline, etching



OMG-M33
镜面, 蚀刻
Hairline, etching



OMG-M37
发纹, 蚀刻
Hairline, etching



OMG-M38
发纹, 蚀刻
Hairline, etching



OMG-M39
发纹, 蚀刻
Hairline, etching



OMG-M34
镜面, 蚀刻, 发纹
mirror, etching, hairline,



OMG-M35
镜面, 蚀刻, 发纹
mirror, etching, hairline,



OMG-M36
镜面, 蚀刻
Hairline, etching




OMG-M40
镜面, 蚀刻, 和纹
Hairline, etching, Irregular grain



OMG-M41
镜面, 蚀刻, 和纹
Hairline, etching, Irregular grain



OMG-M42
镜面, 蚀刻
Hairline, etching



OMG-M43
发纹, 蚀刻
Hairline, etching



OMG-M44
发纹, 蚀刻
Hairline, etching



OMG-M45
镜面, 蚀刻
Hairline, etching




OMG-M49
钛金, 镜面, 蚀刻
Titanium gold, mirror, etching



OMG-M50
钛金, 镜面, 蚀刻
Titanium gold, mirror, etching



OMG-M51
钛金, 镜面, 蚀刻, 发纹, 和纹
Titanium gold, mirror, etching, hairline, irregular grain



OMG-M46
发纹, 蚀刻
Hairline, etching



OMG-M47
发纹, 蚀刻
Hairline, etching



OMG-M48
发纹, 蚀刻
Hairline, etching



OMG-M52
钛金, 镜面, 蚀刻
Titanium gold, mirror, etching



OMG-M53
钛金, 镜面, 蚀刻
Titanium gold, mirror, etching



OMG-M54
钛金, 镜面, 蚀刻
Titanium gold, mirror, etching





OMG-M55

钛金, 镜面, 蚀刻


Titanium gold, mirror, etching



OMG-M56

钛金, 镜面, 蚀刻

Titanium gold, mirror, etching



OMG-M57

钛金, 镜面, 蚀刻

Titanium gold, mirror, etching



OMG-M61

钛金, 镜面, 蚀刻


Titanium gold, mirror, etching



OMG-M62

钛金, 镜面, 蚀刻


Titanium gold, mirror, etching



OMG-M63

钛金, 镜面, 蚀刻


Titanium gold, mirror, etching



OMG-M58

钛金, 镜面, 蚀刻

Titanium gold, mirror, etching



OMG-M59

钛金, 镜面, 蚀刻


Titanium gold, mirror, etching



OMG-M60

钛金, 镜面, 蚀刻

Titanium gold, mirror, etching



OMG-M64

钛金, 镜面, 蚀刻

Titanium gold, mirror, etching



OMG-M65

钛金, 镜面, 蚀刻

Titanium gold, mirror, etching



OMG-M66

钛金, 镜面, 蚀刻

Titanium gold, mirror, etching



OMG-M67
钛金, 蚀刻
Titanium gold, etching



OMG-M68
钛金, 蚀刻
Titanium gold, etching



OMG-M69
钛金, 蚀刻
Titanium gold, etching



OMG-M73
玫瑰金, 蚀刻
Rose gold, etching



OMG-M74
玫瑰金, 蚀刻
Rose gold, etching



OMG-M75
玫瑰金, 蚀刻
Rose gold, etching



OMG-M70
钛金, 蚀刻
Titanium gold, etching



OMG-M71
钛金, 镜面, 蚀刻, 和纹
Titanium gold, mirror, etching, Irregular grain



OMG-M72
钛金, 镜面, 蚀刻, 和纹
Titanium gold, mirror, etching, Irregular grain



OMG-M76
玫瑰金, 蚀刻
Rose gold, etching



OMG-M77
玫瑰金, 蚀刻
Rose gold, etching



OMG-M78
玫瑰金, 蚀刻
Rose gold, etching

Handrail Series

扶手系列

OMG-F01

不锈钢管亚光发纹
Stainless steel tube matte hairline

规格 (mm)
φ 51x1000

OMG-F02

钛金亚光发纹单管
Titanium gold matte hairline mono-tube

规格 (mm)
φ 51x1000

OMG-F03

不锈钢管镜面双联组合
Double combination of mirror and stainless steel tube

规格 (mm)
φ 51x1000

OMG-F04

不锈钢管钛金双联组合
Double combination of titanium gold and stainless steel tube

规格 (mm)
φ 51x1000

OMG-F05

不锈钢管镜面三联组合
Triple combination of stainless steel tube mirror

规格 (mm)
φ 51x1000

OMG-F06

不锈钢管钛金三联组合
Triple combination of titanium gold stainless steel tube

规格 (mm)
φ 51x1000

OMG-F07

不锈钢管镜面、钛金组合
Combination of titanium gold and stainless steel tube mirror

规格 (mm)
φ 51x1000

OMG-F08

圆木、钛金组合
Combination of log and titanium gold

规格 (mm)
φ 51x1000

OMG-F09

原木
Log

规格 (mm)
φ 51x1000

OMG-F10

有机柱扶手
Organic column handrail

规格 (mm)
φ 51x1000

OMG-F11

6mm 不锈钢短纹、圆弧头
6mm stainless steel short grain, arc head

规格 (mm)
φ 80x1000

OMG-F12

6mm 不锈钢钛金短纹、圆弧头
6mm stainless steel titanium gold short grain, arc head

规格 (mm)
φ 80x1000

OMG-F13

6mm 不锈钢钛金短纹、圆弧头
6mm stainless steel titanium gold short grain, arc head

规格 (mm)
φ 80x1000

OMG-F14

不锈钢短纹、方头
Stainless steel short grain, square head

规格 (mm)
φ 51x1000

OMG-F15

不锈钢钛金发纹、方头
Stainless steel titanium gold hairline, square head

规格 (mm)
φ 80x1000

OMG-F16

发纹板方扶手
Hairline panel square handrail

规格 (mm)
φ 51x1000

OMG-F17

工艺造型扶手
Art model handrail

规格 (mm)
φ 51x1000

OMG-F18

工艺造型扶手
Art model handrail

规格 (mm)
φ 51x1000


OMG-F19

椭圆形木、钛金组合扶手
Oval wooden and titanium gold combined handrail


规格 (mm)
φ 51x1000



Floor Series



OMG-D07



OMG-D08



OMG-D09



OMG-D01




OMG-D02




OMG-D03




OMG-D10




OMG-D11




OMG-D12



OMG-D04



OMG-D05



OMG-D06



OMG-D13




OMG-D14



OMG-D15


SMALL MACHINE ROOM PASSENGER ELEVATOR CONSTRUCTION SKETCH



| 型号 Model | 载重 Load KG | 载客 Passenger NO. | 速度 speed m/s | 轿厢规格 (mm) Car specification CWxCD | 开门尺寸 (mm) Door opening size JJxOPH | 井道尺寸 (mm) Well size HWxHD | 机房尺寸 (mm) Machine room size MRWxMRD | 底坑深度 (mm) Pit depth | 顶层高度 (mm) Top floor height OH | 功率 Power | 作用力 (N) Acting force | | | | | | |
|--------------|------------------|------------------------|--------------------|--|---|------------------------------------|--|---------------------------|--|-------------|-------------------------|-------|------|--------|-------|------|------|
| | | | | | | | | | | | R1 | R2 | R3 | P1 | P2 | | |
| TKJ450/1.0 | 450 | 6 | 1 | 1100x1100 | 700x2100 | 1700x1700 | 1700x1700 | 1400 | 4500 | 3.2 | 28800 | 17200 | 1900 | 44000 | 35000 | | |
| | | | | | | | | 1500 | 4600 | 4.9 | | | | | | | |
| TKJ630/1.0 | 630 | 8 | 1 | 1400x1100 | 800x2100 | 2000x1700 | 2000x1700 | 1400 | 4500 | 4.3 | 35200 | 21800 | 4300 | 58000 | 45600 | | |
| 1500 | | | 4600 | | | | | 6.4 | | | | | | | | | |
| 1600 | | | 4700 | | | | | 7.5 | | | | | | | | | |
| 1750 | | | 4700 | | | | | 7.5 | | | | | | | | | |
| TKJ800/1.0 | 800 | 10 | 1 | 1400x1350 | 800x2100 | 2000x2000 | 2000x2000 | 1400 | 4500 | 5.4 | 44800 | 27400 | 5400 | 72000 | 56000 | | |
| 1500 | | | 4600 | | | | | 8.1 | | | | | | | | | |
| 1600 | | | 4700 | | | | | 9.4 | | | | | | | | | |
| TKJ800/1.75 | 800 | 10 | 1.75 | 1400x1350 | 800x2100 | 2000x2000 | 2000x2000 | 1600 | 4700 | 9.4 | 44800 | 27400 | 5400 | 72000 | 56000 | | |
| 1750 | | | 4700 | | | | | 9.4 | | | | | | | | | |
| 1750 | | | 4700 | | | | | 9.4 | | | | | | | | | |
| TKJ1000/1.0 | 1000 | 13 | 1 | 1600x1400 | 900x2100 | 2200x2000 | 2200x2000 | 1400 | 4500 | 6.7 | 53400 | 32200 | 6000 | 88000 | 68000 | | |
| TKJ1000/1.75 | | | 1500 | | | | | 4600 | 10 | 1600 | | | | | | 4700 | 11.7 |
| TKJ1150/1.0 | 1150 | 15 | 1 | 1900x1400 | 1000x2100 | 2500x2100 | 2500x2100 | 1400 | 4600 | 7.8 | 55600 | 36300 | 7800 | 98000 | 75000 | | |
| TKJ1150/1.75 | | | 1500 | | | | | 4700 | 11.7 | 1600 | | | | | | 4800 | 13.6 |
| TKJ1250/1.0 | 1250 | 16 | 1 | 1900x1500 | 1100x2100 | 2500x2200 | 2500x2200 | 1400 | 4600 | 8.5 | 60400 | 39400 | 8500 | 106000 | 81000 | | |
| TKJ1250/1.5 | | | 1500 | | | | | 4700 | 12.7 | 1600 | | | | | | 4800 | 14.9 |
| TKJ1250/1.75 | | | 1600 | | | | | 4800 | 14.9 | 1600 | | | | | | 4800 | 14.9 |
| TKJ1350/1.0 | 1350 | 18 | 1 | 1900x1600 | 1100x2100 | 2500x2300 | 2500x2300 | 1400 | 4600 | 9.2 | 67200 | 43400 | 8700 | 114000 | 87000 | | |
| TKJ1350/1.5 | | | 1500 | | | | | 4700 | 13.8 | 1600 | | | | | | 4800 | 16.1 |
| TKJ1350/1.75 | 1350 | 18 | 1.75 | 1900x1600 | 1100x2100 | 2500x2300 | 2500x2300 | 1600 | 4800 | 16.1 | 67200 | 43400 | 8700 | 114000 | 87000 | | |
| TKJ1600/1.0 | | | 1400 | | | | | 4600 | 11 | | | | | | | | |
| TKJ1600/1.5 | 1600 | 21 | 1 | 2000x1750 | 1200x2100 | 2600x2450 | 2600x2450 | 1400 | 4600 | 11 | 73600 | 47600 | 9600 | 128000 | 96000 | | |
| TKJ1600/1.75 | | | 1500 | | | | | 4700 | 16.6 | 1600 | | | | | | 4800 | 19.4 |

(本资料仅供设计选用参考, 详细参数以技术图纸为准。)
注: 如若超出上述范围的规格, 请与欧米佳电梯公司联系。
(The data is for design reference only. Regarding detailed parameters, please take technical drawing as criterion.)
Note: If specification exceeds above range, please contact OMEGA Elevator Company.


MACHINE ROOM-LESS PASSENGER ELEVATOR CONSTRUCTION SKETCH (ECONOMICAL)




| 型号 Model | 载重 Load KG | 乘客 Passenger NO. | 速度 speed m/s | 轿厢规格 (mm) Car specification CWxCD | 开门尺寸 (mm) Door opening size JxOPH | 井道尺寸 (mm) Well size HWxHD | 底坑深度 (mm) Pit Pit | 顶层高度 (mm) Top floor height OH | 功率 Power | 作用力 (N) Acting force | | | |
|---------------|------------------|------------------------|--------------------|--|--|------------------------------------|----------------------------|--|-------------|-------------------------|-------|--------|-------|
| | | | | | | | | | | R1 | R2 | P1 | P2 |
| TKJW450/1.0 | 450 | 6 | 1 | 1100x1100 | 700x2100 | 2000x1700 | 1600 | 4300 | 3.2 | 16500 | 21000 | 44000 | 35000 |
| TKJW450/1.5 | | | 1.5 | | | | 1700 | 4400 | 4.9 | | | | |
| TKJW630/1.0 | 630 | 8 | 1 | 1400x1100 | 800x2100 | 2300x1700 | 1600 | 4300 | 4.3 | 19800 | 26400 | 58000 | 45600 |
| TKJW630/1.5 | | | 1.5 | | | | 1700 | 4400 | 7.5 | | | | |
| TKJW800/1.0 | 800 | 10 | 1 | 1400x1350 | 800x2100 | 2300x2000 | 1600 | 4300 | 5.4 | 25700 | 27100 | 72800 | 56000 |
| TKJW800/1.5 | | | 1.5 | | | | 1700 | 4400 | 8.1 | | | | |
| TKJW800/1.75 | | | 1.75 | | | | 1700 | 4400 | 9.4 | | | | |
| TKJW1000/1.0 | 1000 | 13 | 1 | 1600x1400 | 900x2100 | 2500x2000 | 1600 | 4300 | 6.7 | 27400 | 39600 | 88000 | 68000 |
| TKJW1000/1.5 | | | 1.5 | | | | 1700 | 4400 | 11.7 | | | | |
| TKJW1150/1.0 | 1150 | 15 | 1 | 1900x1400 | 1000x2100 | 2800x2000 | 1600 | 4300 | 7.8 | 30400 | 43600 | 92000 | 75000 |
| TKJW1150/1.5 | | | 1.5 | | | | 1700 | 4400 | 11.7 | | | | |
| TKJW1150/1.75 | | | 1.75 | | | | 1700 | 4400 | 13.6 | | | | |
| TKJW1250/1.0 | 1250 | 16 | 1 | 1900x1500 | 1100x2100 | 2900x2000 | 1600 | 4300 | 8.5 | 32200 | 46800 | 106000 | 81000 |
| TKJW1250/1.5 | | | 1.5 | | | | 1700 | 4400 | 12.7 | | | | |
| TKJW1250/1.75 | | | 1.75 | | | | 1700 | 4400 | 14.9 | | | | |
| TKJW1350/1.0 | 1350 | 18 | 1 | 1900x1600 | 1100x2100 | 2900x2400 | 1600 | 4400 | 9.2 | 37600 | 46400 | 114000 | 87000 |
| TKJW1350/1.5 | | | 1.5 | | | | 1700 | 4500 | 13.8 | | | | |
| TKJW1350/1.75 | | | 1.75 | | | | 1700 | 4500 | 16.1 | | | | |
| TKJW1600/1.0 | 1600 | 21 | 1 | 2000x1750 | 1200x2100 | 3000x2400 | 1600 | 4400 | 11 | 39600 | 56500 | 128000 | 96000 |
| TKJW1600/1.5 | | | 1.5 | | | | 1700 | 4500 | 16.6 | | | | |
| TKJW1600/1.75 | | | 1.75 | | | | 1700 | 4500 | 19.4 | | | | |

(本资料仅供设计选用参考, 详细参数以技术图纸为准。)
注: 如超出上述范围的规格, 请与欧米佳电梯公司联系。
(The data is for design reference only. Regarding detailed parameters, please take technical drawing as criterion.)
Note: If specification exceeds above range, please contact OMEGA Elevator Company.

MACHINE ROOM-LESS PASSENGER ELEVATOR CONSTRUCTION SKETCH (COMPACT)



HIGH SPEED ELEVATOR CONSTRUCTION SKETCH






| 型号 Model | 载重 Load KG | 轿容 Pass- NO. | 速度 speed m/s | 轿厢规格 (mm) Car specification CWxCD | 开门尺寸 (mm) Door opening size JxJxOPH | 井道尺寸 (mm) Well size HWxHD | 底坑深度 (mm) Pit depth Pit | 顶层高度 (mm) Top floor height OH | 功率 | 作用力 (N) Acting force | | | |
|---------------|------------------|--------------------|--------------------|--|--|------------------------------------|----------------------------------|--|------|-------------------------|-------|-------|-------|
| | | | | | | | | | | R1 | R2 | P1 | P2 |
| TKJW630/1.0 | 630 | 8 | 1 | 1200x1350 | 700x2100 | 1850x1750 | 1500 | 4600 | 4.0 | 19800 | 26400 | 58000 | 45600 |
| TKJW630/1.5 | | | 1.5 | | | | 1600 | 4700 | 6.3 | | | | |
| TKJW630/1.75 | | | 1.75 | | | | 1700 | 4800 | 7.3 | | | | |
| TKJW800/1.0 | 800 | 10 | 1 | 1400x1350 | 800x2100 | 2050x1750 | 1500 | 4600 | 5.4 | 25700 | 27100 | 72800 | 56000 |
| TKJW800/1.5 | | | 1.5 | | | | 1600 | 4700 | 8.1 | | | | |
| TKJW800/1.75 | | | 1.75 | | | | 1700 | 4800 | 9.4 | | | | |
| TKJW1000/1.0 | 1000 | 13 | 1 | 1600x1400 | 900x2100 | 2250x1800 | 1500 | 4600 | 6.7 | 27400 | 39600 | 88000 | 68000 |
| TKJW1000/1.5 | | | 1.5 | | | | 1600 | 4700 | 10.1 | | | | |
| TKJW1000/1.75 | | | 1.75 | | | | 1700 | 4800 | 11.8 | | | | |

(本资料仅供参考,详细参数以技术图纸为准。)
注: 如规格超出上述范围的规格, 请与欧米佳电梯公司联系。
(The data is for design reference only. Regarding detailed parameters, please take technical drawing as criterion.)
Note: If specification exceeds above range, please contact OMEGA Elevator Company.

| 型号 Model | 载重 Load KG | 轿容 Pas- NO. | 速度 speed m/s | 轿厢规格 (mm) Car specification CWxCD | 开门尺寸 (mm) Door opening size JxJxOPH | 井道尺寸 (mm) Well size HWxHD | 机房尺寸 (mm) Machine room size MRWxMRD | 底坑深度 (mm) Pit depth Pit | 顶层高度 (mm) Top floor height OH | 功率 | 作用力 (N) Acting force | | | | | | |
|-------------|------------------|-------------------|--------------------|--|--|------------------------------------|--|----------------------------------|--|------|-------------------------|-------|------|-------|-------|------|------|
| | | | | | | | | | | | R1 | R2 | R3 | P1 | P2 | | |
| TKJ630/2.0 | 630 | 8 | 2 | 1400x1100 | 800x2100 | 2000x1800 | 2000x1800 | 1700 | 5000 | 8.2 | 44800 | 27400 | 5400 | 72000 | 56000 | | |
| TKJ800/2.0 | | | 2 | | | | | 2000x2050 | 2000x2050 | 1700 | | | | | | 5000 | 10.9 |
| TKJ800/2.5 | 800 | 10 | 2.5 | 1400x1350 | 800x2100 | 2000x2050 | 2100x2050 | 1900 | 5200 | 13.5 | 44800 | 27400 | 5400 | 72000 | 56000 | | |
| TKJ800/3.0 | | | 3 | | | | | 2100x2050 | 2100x2050 | 3200 | | | | | | 5700 | 16.5 |
| TKJ1000/2.0 | | | 2 | | | | | 1700 | 5000 | 13.3 | | | | | | | |
| TKJ1000/2.5 | 1000 | 13 | 2.5 | 1600x1400 | 900x2100 | 2200x2100 | 2200x2100 | 1900 | 5200 | 16.8 | 53400 | 32200 | 6000 | 88000 | 68000 | | |
| TKJ1000/3.0 | | | 3 | | | | | 3200 | 5700 | 20.3 | | | | | | | |
| TKJ1000/4.0 | | | 4 | | | | | 2300x2100 | 2300x2100 | 4000 | | | | | | 6200 | 27.1 |

(本资料仅供参考,详细参数以技术图纸为准。)
注: 如规格超出上述范围的规格, 请与欧米佳电梯公司联系。
(The data is for design reference only. Regarding detailed parameters, please take technical drawing as criterion.)
Note: If specification exceeds above range, please contact OMEGA Elevator Company.


MACHINE ROOM-LESS OBSERVATION ELEVATOR CONSTRUCTION SKETCH(ROUND/DIAMOND)



| 型号 Model | 载重 Load KG | 载客 Passenger NO. | 速度 speed m/s | 轿厢规格(mm) Car specification CWxCD | 开门尺寸(mm) Door opening size JixOPH | 井道尺寸(mm) Well size | | 底坑深度(mm) Pit depth | 顶层高度(mm) Top floor height OH | 功率 Power | 作用力 (N) Acting force | | | |
|-------------|------------------|------------------------|--------------------|--|---|-----------------------|-------------|-----------------------|------------------------------------|-------------|-------------------------|--------|--------|----|
| | | | | | | HWxHDmin-HDmax | HDmin-HDmax | | | | R1 | R2 | P1 | P2 |
| TGW450/L0 | 450 | 6 | 1 | 1000x1400 | 700x2100 | 2400x1050-2000 | 1800 | 4600 | 3.2 | 17600 | 22400 | 52000 | 41000 | |
| TGW450/L5 | | | 1.5 | | | | 1900 | 4700 | 4.9 | | | | | |
| TGW630/L0 | 630 | 8 | 1 | 1100x1600 | 800x2100 | 2500x1200-2200 | 1800 | 4600 | 4.3 | 21200 | 28800 | 65000 | 52000 | |
| TGW630/L5 | | | 1.75 | | | | 1900 | 4700 | 7.5 | | | | | |
| TGW800/L0 | 800 | 10 | 1 | 1200x1800 | 800x2100 | 2600x1300-2400 | 1800 | 4600 | 5.4 | 25200 | 35200 | 80000 | 64000 | |
| TGW800/L5 | | | 1.75 | | | | 1900 | 4700 | 9.4 | | | | | |
| TGW1000/L0 | 1000 | 13 | 1 | 1300x1900 | 900x2100 | 2700x1350-2500 | 1800 | 4600 | 6.7 | 29200 | 42800 | 96000 | 76000 | |
| TGW1000/L5 | | | 1.75 | | | | 1900 | 4700 | 10 | | | | | |
| TGW1600/L0 | 1600 | 21 | 1 | 1700x2200 | 1100x2100 | 3100x1500-2800 | 1800 | 4600 | 11 | 36600 | 63400 | 136000 | 104000 | |
| TGW1600/L5 | | | 1.75 | | | | 1900 | 4700 | 16.6 | | | | | |
| TGW1600/L75 | | | 1.75 | | | | 1900 | 4800 | 19.4 | | | | | |

(本资料仅供设计选用参考, 详细参数以技术图纸为准。)
 Note: If specification exceeds above range, please contact OMEGA Elevator Company.


FREIGHT ELEVATOR CONSTRUCTION SKETCH



| 型号 Model | 载重 Load KG | 速度 Speed m/s | 轿厢规格 Car specification CWxCD | 开门尺寸 Door opening size JlxOPH | 井道尺寸 Well size HWxHD | 机房尺寸 Machine room size MRWxMRD | 底坑深度 Pit depth Pit | 顶层高度 Top floor height OH | 功率 Power | 作用力 (N) Acting force | | | | |
|-------------|------------------|--------------------|------------------------------------|-------------------------------------|----------------------------|--------------------------------------|--------------------------|--------------------------------|-------------|-------------------------|--------|-------|--------|--------|
| | | | | | | | | | | R1 | R2 | R3 | P1 | P2 |
| THU1000/0.5 | 1000 | 0.5 | 1400x1700 | 1200x2100 | 2200x2200 | 2500x2500 | 1500 | 4200 | 7.5 | 54600 | 47800 | 7400 | 88000 | 68000 |
| THU1600/0.5 | 1600 | 0.5 | 1500x2300 | 1400x2100 | 2500x2800 | 2500x2800 | 1500 | 4200 | 11 | 67600 | 58200 | 7400 | 124000 | 92000 |
| THU2000/0.5 | 2000 | 0.5 | 1800x2300 | 1500x2100 | 2800x2800 | 2800x2800 | 1500 | 4200 | 11 | 85600 | 55200 | 8400 | 144000 | 104000 |
| THU3000/0.5 | 3000 | 0.5 | 2000x2800 | 1800x2100 | 3450x3500 | 3250x3300 | 1500 | 4200 | 15 | 144800 | 75200 | 12000 | 224000 | 164000 |
| THU4000/0.5 | 4000 | 0.5 | 2200x3300 | 2200x2300 | 3700x3800 | 3700x3800 | 1500 | 5000 | 18.5 | 190000 | 105200 | 16400 | 148000 | 108000 |
| THU5000/0.5 | 5000 | 0.5 | 2400x3600 | 2200x2300 | 3800x4100 | 3800x4100 | 1500 | 5000 | 22 | 213800 | 117200 | 18200 | 172000 | 122000 |

(本资料仅供设计选用参考, 详细参数以技术图纸为准。)
注: 如若超出上述范围的规格, 请与欧米佳电梯公司联系。
(The data is for design reference only. Regarding detailed parameters, please take technical drawing as criterion.)
Note: If specification exceeds above range, please contact OMEGA Elevator Company.


MACHINE ROOM-LESS FREIGHT ELEVATOR CONSTRUCTION SKETCH



| 型号 Model | 载重 Load KG | 速度 speed m/s | 轿厢规格 Car specification CWxCD | 开门尺寸 Door opening size JlxOPH | 井道尺寸 Well size HWxHD | 底坑深度 Pit depth Pit | 顶层高度 Top floor height OH | 功率 Power | 作用力 (N) Acting force | | | | | | | |
|--------------|------------------|--------------------|------------------------------------|-------------------------------------|----------------------------|--------------------------|--------------------------------|-------------|-------------------------|--------|-------|-------|-------|-------|--------|--------|
| | | | | | | | | | R1 | R2 | R3 | R4 | R5 | R6 | P1 | P2 |
| THUW1600/0.5 | 1600 | 0.5 | 1800x1900 | 1500x2100 | 3100x2400 | 1600 | 4500 | 5.5 | 40400 | 73600 | 29000 | 29000 | 22600 | 19400 | 124000 | 92000 |
| THUW2000/0.5 | 2000 | 0.5 | 1800x2300 | 1500x2100 | 3100x2800 | 1600 | 4500 | 6.7 | 40400 | 73600 | 29000 | 29000 | 22600 | 19400 | 144000 | 104000 |
| THUW3000/0.5 | 3000 | 0.5 | 2000x2800 | 1800x2100 | 3450x3500 | 1600 | 4500 | 10 | 60600 | 110400 | 43500 | 43500 | 33900 | 29100 | 224000 | 164000 |

(本资料仅供设计选用参考, 详细参数以技术图纸为准。)
注: 如若超出上述范围的规格, 请与欧米佳电梯公司联系。
(The data is for design reference only. Regarding detailed parameters, please take technical drawing as criterion.)
Note: If specification exceeds above range, please contact OMEGA Elevator Company.

12° MOVING WALK CONSTRUCTION SKETCH




| | | | | | |
|------------|------|------|------|------|------|
| 1000 | 1000 | 1228 | 1228 | 1600 | 3400 |
| 800 | 800 | 1028 | 1028 | 1400 | 3000 |
| 楼梯宽度 mm | A | B | C | D | E |
| step width | | | | | |

| 提升高度 | | 中间支撑 | | La(mm) | Lb (mm) | Lc (mm) |
|--------|------|--|----|--------------------------|---------|---------|
| 从 From | 至 To | S1 | S2 | | | |
| 1601 | 2663 | | | | | |
| 2664 | 4151 | 1 | | L-7000 | 7000 | |
| 4152 | 5851 | 1 | | 15000 | L-15000 | |
| 5852 | 6000 | 1 | 1 | 15000 | 7000 | L-22000 |
| A | | H2 | | H1 | | |
| 10° | | $H2=H-(L \times 1995) \times 0.1763-840$ | | $H1=H2-Lc \times 0.1763$ | | |
| 11° | | $H2=H-(L \times 2055) \times 0.1944-840$ | | $H1=H2-Lc \times 0.1944$ | | |
| 12° | | $H2=H-(L \times 2115) \times 0.2126-840$ | | $H1=H2-Lc \times 0.2126$ | | |

注: 当提升高度 > 6m 时, 土建尺寸请咨询我们公司

| 梯级宽度(mm) | 提升高度 (mm) | 速度(m/s) | 公称额定容量 (人/分) | 物料量 (T) | 牵引功率(kW) | 电源容量 (kVA) | 额定电流(A) |
|------------|------------------|---------|---------------------|-------------|----------|-----------------------|---------------|
| Step width | Traveling height | Speed | Rated load capacity | Inclination | Power | Power supply capacity | Rated current |
| 800 | 1000-3800 | 0.5 | 4800 | 10,11,12 | 7.5 | 15 | 39 |
| | 11 | | | | 22 | 58 | |
| 1000 | 1000-3000 | 0.5 | 6000 | 10,11,12 | 7.5 | 15 | 39 |
| | 11 | | | | 22 | 58 | |
| | 4800-6000 | | | | 15 | 30 | 78 |

0° MOVING WALK CONSTRUCTION SKETCH



| 梯级宽度 | | 1000 | | 800 | |
|----------|-----------|--------------|----------|--------------|----------|
| 光压力 (kN) | 中间支撑间距 L4 | 6000 | 10000 | 6000 | 10000 |
| | R1 | 40 | 38 | 35 | 34 |
| | R2 | 34.5 | 34 | 32 | 31 |
| | R3 | 62.5 | 78.5 | 52 | 64.5 |
| | R4 | 63.5 | 79.4 | 54 | 66.6 |
| 电机功率 | 额定电压 | 输送长度 L | 输送长度 L | 输送长度 L | 输送长度 L |
| | | 10000-70000 | 8KW/18A | 10000-60000 | 8KW/18A |
| | | 70001-110000 | 11KW/25A | 60001-110000 | 11KW/25A |

注意事项

- 当使用环境温度低于 0°C (户外或户内) 时, 增加出口防滑, 加贴防滑条并增加扶手材料并做防锈技术部;
- 自动人行道上下出入口应有充分的防滑区域, 其宽度至少为扶手中心线向前, 纵深尺寸从扶手转向或回弯至少为 2.5m, 如该区域宽度为扶手中心线向前, 其纵深尺寸允许减至 2m;
- 如有残障, 应防水处理, 用户自理;
- 自动人行道扶手间距为 500, 否则扶手与扶手间的三角处加贴防滑条, 用户自理;
- 用户侧扶手力应取, 接地电阻小于 40 欧姆的接地设置, 在上架固定下, 距地 2 米接地余量, 电机功率在左表;
- 室内自动人行道上下出入口的光亮度至少为 5lx, 户外、半户外自动人行道上下出入口的光亮度至少为 15lx (用户自理);
- 如何处理好承重梁的防腐防锈, 请咨询我们材料防锈技术部;
- 自动人行道扶手与固定架的防腐防锈处理;

| 技术说明 | |
|-------------|---|
| 倾角 α | 0-6° |
| 速度 V | 0.5m/s |
| 踏板类型 | 铝合金 (室内/户外/户外) |
| 踏板宽度 A | 1000 800 |
| 扶手带中心距 B | 1238 1038 |
| 外形宽度 C | 1600 1400 |
| 承重梁长度 D | ≥ 1660 ≥ 1460 |
| 安装场合驱动方式 | 长度 L |
| 室内型三角 | 4000 4000 |
| 半户外型三角 | 4600 4600 |
| 户外型三角 | 4000 4600 |
| 户外型三角 | 4600 |
| 动力电源 | 用户提供 380V AC 50Hz 三相五线电源, 人行道启动时, 电压降 $\leq 10\%$, 正常情况下, 人行道运行时电压降 $\leq 5\%$; 最大启动电流应小于额定电流的 3.5 倍。 |

SERVICE SERIES

服务体系



产品销售出去并不意味着服务的终结，而恰恰是一种服务的新起点，售后服务甚至比产品买卖更能体现一个企业的“社会责任”意识，诚信服务态度。欧米佳电梯为您提供的是—种24小时全天候的永续服务：无论何时何地，一旦电梯发生运行故障时，公司将调配最近的维保人员以最快的速度，最短的时间到达现场提供最专业化的维修服务。

The end of sales do not mean the end of our service. On the contrary, it is a new starting point of another kind of service. The after-sales service more indicates the "social responsibility" consciousness and the creditable service attitude of an enterprise than the mere product transaction. XUNLIDA elevator provides you with 24-hour all-weather eternal service. At any time and places, as long as there is something wrong with your lift, the company will offer you the most professional solution with the quickest and the shortest time possible.



专业团队
Professional team



售后备件系统
Out-of-sale spare parts system



服务热线
Service Hotline

专业的服务内容

“预防为主、预检、预修”对出现磨损的部件和老化过时的系统，保留有价值的关键部件，增设附属部件或系统更新。

The professional service contents

Regarding the worn parts and aged / out system, "mainly taking precaution measures, pre-inspection, pre-repair" keeps the valuable key parts, adds accessory hardware or systematic renewal.

技艺精湛的维保队伍

经过专业技术培训的维保队伍，经验丰富、技艺精湛。贴近需求、尽心尽责地为客户提供服务。

The skillful repair and maintenance group goes through the professional technical training

They are rich in experience and advanced in craft & tech. They are considerate to the clients' requirements and provide the clients with wholehearted service.

标准的服务质量

坚持“以人为本”的原则，定期向一线服务团队提供技能、安全培训，以提升一线服务人员能力，打造优质服务团队。

Standard service quality

It persists in human-centered principle. It regularly provides the first-line service team with the skill and safety training. It enhances the capability of first-line servicemen, construct a superior service team.

备件充裕 储运迅捷

强大的备品备件中心成为服务体系中最强大的物质基础保障。储运中心迅速无比的配合令客户在最短时间内享受到迅捷的服务。

Ample spare parts, prompt storage and delivery

The powerful center becomes the strongest material foundation guarantee in the service system. The prompt coordination between the storage and delivery centers grants the customers to enjoy the quick and convenient services within the shortest time possible.